

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in SER, by sex and race/ethnicity, 2004

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	13	93	a	* 100	a	15	94	a	a
Black, not Hispanic	*	7	a	0	0	a	*	6	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	14	100	a	* 100	a	16	100	a	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SER, by sex and age at diagnosis, 2004

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	0
25-34	*	21	0	0	*	19
35-44	6	43	*	50	7	44
45-54	*	21	0	0	*	19
55-64	*	14	*	50	*	19
>=65	0	0	0	0	0	0
Total	14	100	*	100	16	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in SER, by sex and exposure category, 2004

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	10	71	a	a	10	63
Injection drug use (IDU)	0	0	0	0	0	0
Male-to-male sex and IDU	0	0	a	a	0	0
Heterosexual contact	0	0	0	0	0	0
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	*	29	*	100	6	38
Total	14	100	*	100	16	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SER, by race/ethnicity and exposure category, 2004

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	9	60	*	100	0	0	0	0	0	0	0	0	10	63
Injection drug use (IDU)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male-to-male sex and IDU	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heterosexual contact	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	6	40	0	0	0	0	0	0	0	0	0	0	6	38
Total	15	100	*	100	0	0	0	0	0	0	0	0	16	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in SER, by sex and tuberculosis comorbidity, 2004

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	14	100	*	100	16	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	14	100	*	100	16	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in SER, by sex and race/ethnicity, 2004

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	100	a	0	0	a	*	100	a
Black, not Hispanic	0	0	a	0	0	a	0	0	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	*	100	a	0	0	a	*	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SER, by year of diagnosis and sex

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	12	16	13	13	14	275
Females	*	*	*	6	*	55
Total	16	18	15	19	16	330

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in SER, by year of diagnosis and race/ethnicity

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	12	13	13	18	15	278
Black, not Hispanic	*	*	*	*	*	44
Hispanic	0	*	0	0	0	8
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	16	18	15	19	16	330

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in SER, by year of diagnosis and age at diagnosis

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	*	0	0	0	3
13-14	0	0	0	0	0	0
15-24	*	*	*	*	0	45
25-34	5	5	*	*	*	137
35-44	8	5	*	10	7	102
45-54	*	*	*	*	*	29
55-64	0	*	*	*	*	13
>=65	0	0	0	0	0	1
Total	16	18	15	19	16	330

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in SER, by year of diagnosis and exposure category

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	7	14	8	6	10	193
Injection drug use (IDU)	*	0	*	*	0	38
Male-to-male sex and IDU	*	*	0	*	0	16
Heterosexual contact	*	*	*	*	0	47
Mother with/at risk for HIV	0	*	0	0	0	3
Other/unknown	0	0	*	7	6	33
Total	16	18	15	19	16	330

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in SER, by year of diagnosis and sex

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	10	11	13	9	9	187
Females	*	*	0	*	*	31
Total	11	13	13	13	11	218

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in SER, by year of diagnosis and race/ethnicity

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	8	12	11	10	10	184
Black, not Hispanic	*	*	*	*	*	29
Hispanic	0	0	0	0	0	5
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	11	13	13	13	11	218

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in SER, by year of diagnosis and age at diagnosis

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	0	0	0	*	0	11
25-34	*	5	*	*	*	94
35-44	6	*	5	6	5	73
45-54	*	*	*	*	*	28
55-64	0	0	*	*	*	9
>=65	0	0	0	0	0	1
Total	11	13	13	13	11	218

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in SER, by year of diagnosis and exposure category

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	5	10	10	5	*	136
Injection drug use (IDU)	*	0	*	0	0	18
Male-to-male sex and IDU	*	*	0	*	*	12
Heterosexual contact	*	*	0	*	0	29
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	*	0	*	*	6	21
Total	11	13	13	13	11	218

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in SER, by year and sex

	2000	2001	2002	2003	2004
Sex	No.	No.	No.	No.	No.
Males	145	158	168	173	185
Females	31	32	33	37	39
Total	176	190	201	210	224

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in SER, by year and race/ethnicity

	2000	2001	2002	2003	2004
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	148	158	167	176	189
Black, not Hispanic	24	27	29	29	30
Hispanic	*	5	5	5	5
Asian/Pacific Islander	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0
Total	176	190	201	210	224

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in SER, by year and current age

	2000	2001	2002	2003	2004
Current age (yrs)	No.	No.	No.	No.	No.
<13	0	*	*	*	*
13-14	0	0	0	0	0
15-24	*	*	5	6	6
25-34	32	39	42	44	47
35-44	88	90	93	96	102
45-54	45	49	49	51	53
55-64	8	8	10	11	14
>=65	*	*	*	*	*
Total	176	190	201	210	224

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in SER, by year and exposure category

	2000	2001	2002	2003	2004
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	103	114	120	121	129
Injection drug use (IDU)	25	24	25	25	25
Male-to-male sex and IDU	8	9	9	9	9
Heterosexual contact	25	27	30	32	32
Mother with/at risk for HIV	*	*	*	*	*
Other/unknown	14	14	15	21	27
Total	176	190	201	210	224

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SER, by year of death and sex

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	*	8	*	90
Females	0	*	*	*	0	16
Total	*	*	*	10	*	106

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SER, by year of death and race/ethnicity

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	*	*	9	*	89
Black, not Hispanic	*	*	0	*	0	14
Hispanic	0	0	0	0	0	3
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	*	*	*	10	*	106

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SER, by year of death and age at death

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	1
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	4
25-34	*	0	*	*	0	43
35-44	*	*	*	6	*	35
45-54	0	0	*	*	*	16
55-64	*	*	0	*	0	6
>=65	0	0	0	0	0	1
Total	*	*	*	10	*	106

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SER, by year of death and exposure category

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	0	*	*	5	*	64
Injection drug use (IDU)	*	*	*	*	0	13
Male-to-male sex and IDU	*	0	0	*	0	7
Heterosexual contact	0	0	0	*	0	15
Mother with/at risk for HIV	0	0	0	0	0	1
Other/unknown	0	0	*	*	0	6
Total	*	*	*	10	*	106

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.